

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... APR 20 1990
Returned to applicant for correction..... JUN 08 1990
Corrected application filed..... JUL 10 1990
Map filed..... JUL 10 1990

The applicant Reno-Sparks Tongan Wesleyan Methodist Church
1231 Pyramid Way, of Sparks,
Street and No. or P.O. Box No. City or Town
Nevada 89431, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) January 4, 1988 Sparks, Nevada

1. The source of the proposed appropriation is UNDERGROUND
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.1 cfs not to exceed 10 af/yr second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet Please see "remarks" for possible adjustment in requested amount

3. The water to be used for Quasi-municipal (non-profit, Church)
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point SW¼ NW¼ section 13, T.20N.,
Describe as being within a 40-acre subdivision of public

R.19E., M.D.B.&M., Washoe County, Nevada. The West ¼ corner of section 13
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

lies S. 67° 44' 28" W 1197 feet

6. Place of use Portion of SW¼ NW¼ section 13, T.20N., R.19E., M.D.B.&M.,
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

Washoe County, Nevada

7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill and cased well equipped with
State manner in which water is to be diverted, i.e. diversion structure, ditches and
motor, pump and distribution system
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... \$50,000.00

10. Estimated time required to construct works.....two years.....
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....5 years.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use. Water is to be used for domestic supply in the Church, including two restrooms drinking water for members and visitors during church functions, Minimum Landscaping. Ultimately water use may be increased for other Church related activities and expanded landscaping. It is requested that this proposed appropriation be considered preferred use as provided in N.R.S 534.120 (2). The use of water will result in a religious facility being available to the residents of the area and its visitors. If the total amount requested cannot be approved, it is requested that the amount of 1800 gpd be considered for approval. This would meet the Church requirements for at least five years. It is understood that if additional water is required in the (SEE ATTACHED CONTINUATION)

By s/Robert L. Fisher Agent
515 Lenwood Dr Sparks NV 89431

Compared bc/se am/vjw

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed.....0.1.....cubic feet per second, but not to exceed 2.02 acre-
feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....October 16, 1992.....

Proof of completion of work shall be filed on or before.....November 16, 1992.....

Application of water to beneficial use shall be made on or before.....October 16, 1995.....

Proof of the application of water to beneficial use shall be filed on or before.....November 16, 1995.....

Map in support of proof of beneficial use shall be filed on or before.....N/A.....

Completion of work filed DEC 9 - 1994

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 16th day of October,

A.D. 19 90


 State Engineer

12. CONTINUED

future there is no commitment by the state over and above what is allowed under this application. (It is noted that 1800 gpd is the entitlement for domestic purposes.) It is further requested that this application initially be evaluated under the provisinos of N.R.S 533.355 (3) because at least a preliminary indication of approval is essential due to time constraints.

